

Specification A: Paper 1 Foundation Tier

1MA0/1F				
Question	Working	Answer	Mark	Additional Guidance
1.	(a)	65	1	B1 cao
	(b)	$5 - 3.8$	2	M1 $5 - 3.8$ A1 cao
<b>Total for Question: 3 marks</b>				
2.	$44 - 8 = 36$ $36 + 19 = 55$ $47 + 3 = 53$ <b>OR</b> $44 + 19 - 8 = 55$ $47 + 6 = 53$ <b>OR</b> $47 - 44 = 3$ $3 + 8 = 11$ $19 - 11 - 6 = 2$	2 (with appropriate reason)	2	M1 Clear attempt to find the number of spaces available on the bus after the bus stops A1 reason for answer which must comment on the difference between 55 and 53
<b>Total for Question: 2 marks</b>				

1MA0/1F				
Question	Working	Answer	Mark	Additional Guidance
3.	(a)	(6, 7)	1	B1 cao
	(b)	(3, 5.5)	2	M1 Clear attempt to find the mean of either x or y coordinates of P and Q A1 cao <b>OR</b> M1 identifies the midpoint of PQ on the diagram A1 cao SC B1 for exactly one coordinate correct
	(c)	(6, 0)	2	M1 for B correctly placed on the x axis A1 for (6, 0)
<b>Total for Question: 5 marks</b>				
4. FE	(a)	cylinder	1	B1 cao
	(b)	9	1	B1 cao
	(c)	D, E	1	B1 cao
	(d)(i)	Net	5	B3 fully correct (B2 5 correct faces) (B1 a net of a cuboid)
	(ii)	14 cm × 18 cm		B1, B1 ft on d(i)
<b>Total for Question: 8 marks</b>				
5.	(a)	16 cm	1	B1 cao (units included)
	(b)	48 cm <sup>3</sup>	4	M1 3-D drawing or sketch M1 4 × 4 × 2 and 2 × 2 × 4 / 4 × 4 × 4 and 2 × 2 × 4 M1 adding or subtracting A1 cao (units included)
<b>Total for Question: 5 marks</b>				

1MA0/1F					
Question	Working	Answer	Mark	Additional Guidance	
6. FE	(a)	<p>Correct table</p> <p><b>WITH EITHER</b></p> <p>Bar chart</p> <p><b>OR</b></p> <p>Pictogram</p> <p><b>OR</b></p> <p>Pie Chart</p>	6	<p>B1 Table with at least 2 columns with car, lorry, van, motorbike and bus rows</p> <p>M1 tally column completed or headed frequency column with at least two entries correct</p> <p>A1 correct frequencies (7, 4, 5, 6, 2)</p> <p><b>WITH EITHER</b></p> <p>B1 labelled axes with a uniform scale</p> <p>M1 bars labelled all the same width</p> <p>A1 bars all correct (ft from a)</p> <p><b>OR</b></p> <p>B1 labelled pictogram</p> <p>M1 5 classes + key</p> <p>A1 all correct (ft from a)</p> <p><b>OR</b></p> <p>B1 circle with 5 sectors labelled</p> <p>M1 correct calculation of at least one angle</p> <p>A1 all sectors correct (ft from a)</p>	
	(b)	25% of 24 = 6	Yes as $5 < 6$	2	<p>M1 finding 25% of 24</p> <p>A1 Yes as <math>5 &lt; 6</math>, (ft from a)</p>
	(c)		<p>Survey at different places</p> <p>Survey at different times</p> <p>Do a bigger survey</p>	2	<p>B2 2 or more reasons (B1 1 reason)</p> <p>Ignore irrelevant reasons</p>
				<b>Total for Question: 10 marks</b>	

1MA0/1F					
Question		Working	Answer	Mark	Additional Guidance
7.	(a)		Correct diagram	1	B1 4 identical shapes to the previous patterns
	(b)		60	2	M1 continues pattern 6, 12, 18, as far as the 10th A1 cao  <b>OR</b> M1 indicates that the number of sticks is 6 times the pattern number A1 cao  <b>OR</b> M1 doubles 30 sticks for pattern number 5 A1 cao
	(c)	$123 \div 6$ leaves a remainder of 3, so 'no'	No + justification	2	M1 Attempts to divide 120 by 6 A1 'No' + comment on remainder <b>OR</b> M1 Starts at 6 and builds up to 120 and 126 A1 'No' + sight of 120 and 126
					<b>Total for Question: 5 marks</b>
8.	(a)		C and D	1	B1 cao
	(b)		B and E	1	B1 cao
	(c)		$4.5 \text{ cm}^2$	1	B1 cao
					<b>Total for Question: 3 marks</b>

1MA0/1F					
Question	Working	Answer	Mark	Additional Guidance	
9.	(a)		Correct reflection	1	B1 cao
	(b)		Correct square	1	B1 cao
	(c)	See pattern at end	Correct squares	1	B1 cao
<b>Total for Question: 3 marks</b>					
10.	(a)		$6x$	1	B1 cao
	(b)		$y \geq -2$	2	M1 attempt to isolate $y$ A1 cao
<b>Total for Question: 3 marks</b>					
11. <b>QWC</b> i, ii, iii		50 shirts at £12 each = £600 Selling Price for profit of 30% = $£12 \times 1.3 = £15.60$ 20 shirts at £15.60 = £312 Reduced selling price = $£15.60 \times 0.85 = £13.26$ 30 shirts at £13.26 = £397.80 $£397.80 + £312 > £600$	Yes, together with appropriately set out working which supports answer	8	B1 for price of 50 shirts M1 for $£12 \times 1.3$ A1 for £15.60 A1 for 20 shirts = £312 M1 for $£15.60 \times 0.85$ A1 for £13.26 A1 for 30 shirts = £397.80  C1 Yes stated together with a statement which supports the correct answer <b>QWC: With clear working attributed correctly</b>
<b>Total for Question: 8 marks</b>					

1MA0/1F					
Question		Working	Answer	Mark	Additional Guidance
12.	(a)		(2, 6)(4, 4) (6, 2)	2	M1 lists as ordered pairs or in a table with at least 2 entries A1 all 3 correct entries
	(b)		$\frac{6}{16}$	4	M1 lists the sample space (at least 4 pairs) A1 fully correct M1 identifies cases where Ali wins A1 cao
<b>Total for Question: 6 marks</b>					
13.	(a)		2 correct combinations	2	B1 Single burger and regular cola oe B1 Regular fries and regular cola oe -1 for each extra incorrect
FE	(b)	Best is Cost $3.49 + 1.70 = 5.19$ Change = $10.00 - 5.19$	£4.81	3	M1 2 correct individual costs found M1 sum and subtract from £10 A1 cao SC B2 5.24 (B1 $2 \times 1.70 + 0.99 + 0.85 = (5.24)$ )
<b>Total for Question: 5 marks</b>					
14.	(a)	$48 + 37 + 78 + 21 = 184$ $184 \times 40 = 7360$ $4 \times 12 = 48$ $73.60 + 48$	£121.60	4	M1 find the total miles M1 total miles $\times 40$ or $\times 0.4(0)$ M1 mileage expenses $+ 4 \times 12$ or $+ 5 \times 12$ A1 cao
FE	(b)	$2000 \div 50 = 40$ $4000 \div 40 = 100$ <b>OR</b> $2000 \div 0.4 = 50000$ $50000 - 50 = 100$ <b>OR</b> $0.4 \times 50 = 20$ $2000 \div 20 = 100$	100	3	M1 for sight of 2000 , or 50, or 20000 M1 dep for an attempt to find cost per week or mileage per year A1 100 <b>OR</b> M1 sight of 2000, or 50 M1 dep $0.4 \times 50$ and $2000 \div '20'$ A1 100
<b>Total for Question: 7 marks</b>					

1MA0/1F				
Question	Working	Answer	Mark	Additional Guidance
15. QWC ii, iii	$\frac{1}{2} = \frac{4}{8}; \frac{1}{4} = \frac{2}{8}$ So $\frac{3}{8}$ is half way  <b>OR</b> use of 0.5 and 0.25 to get 0.375 and compare to 0.33  <b>OR</b> $\frac{1}{2} - \frac{1}{3} = \frac{1}{6}$ and $\frac{1}{3} - \frac{1}{4} = \frac{1}{12}$ followed by conclusion  <b>OR</b> use of 0.5 and 0.25 and differences of $0.5 - 0.33(3, \dots)$ and $0.33(3, \dots) - 0.25$	Coherent and well structured argument with appropriate reason	3	M1 to change both fractions to equivalent fractions M1 (dep on at least one correct equivalent fraction) to find midpoint C1 conclusion following correct work by stating that $\frac{3}{8}$ is not equal to $\frac{1}{3}$ <b>QWC: Decision should be stated with supporting reason given</b> <b>OR</b> M1 use of 0.5 and 0.25 M1 (dep on at least correct decimal one find midpoint) C1 conclusion following correct work and sight of 0.37(5) and 0.33(3..) <b>QWC: Decision should be stated with supporting reason given</b> <b>OR</b> M1 for working out differences M1 For a correct method of calculating differences of fractions using equivalent fractions C1 conclusion following from $\frac{1}{6}$ and $\frac{1}{12}$ <b>QWC: Decision should be stated with supporting reason given</b> <b>OR</b> M1 for working out differences M1 for a correct method of calculating differences of fractions using equivalent fractions C1 conclusion following from $\frac{1}{6}$ and $\frac{1}{12}$ <b>QWC: Decision should be stated with supporting reason given</b> <b>OR</b> M1 use of 0.5 and 0.25 M1(dep on at least one correct decimal) for working out differences C1 for conclusion based on 0.17(or better) and 0.08(23...) <b>QWC: Decision should be stated with supporting reason given</b>
				<b>Total for Question: 3 marks</b>

1MA0/1F					
Question		Working	Answer	Mark	Additional Guidance
16.	(a)	$5p = 20$	4	2	M1 add 16 to both sides A1 cao
	(b)	$-4 - 5 = 5q - 2q$	-3	2	M1 for correct method isolate $\pm 3q$ A1 cao
	(c)	$6x - 3 - 10 - 6x =$	-13	2	M1 at least one expansion correct A1 cao
<b>Total for Question: 6 marks</b>					










1MA0/1F				
Question	Working	Answer	Mark	Additional Guidance
17.	$x + 4x + \frac{1}{2} = 1$ $5x = \frac{1}{2}, \quad x = \frac{1}{10}$ <p><b>OR</b></p> <p>Choose a suitable number of balls ( say 10) 5 will be red The other 5 need to be shared out in the ratio 1:4, hence 1 yellow and 4 blue</p>	$\frac{4}{10}$	3	<p>M1 <math>x + 4x + \frac{1}{2} = 1</math></p> <p>A1 <math>x = \frac{1}{10}</math></p> <p>A1 <math>\frac{4}{10}</math> oe</p>
				<b>Total for Question: 3 marks</b>
18.	<p>Rotates shape about (3,0) by <math>180^\circ</math> to give <i>U</i> Rotates <i>U</i> about (6, 0) to give <i>V</i></p> <p>(see graph at end)</p>	Translation by $\begin{pmatrix} 6 \\ 0 \end{pmatrix}$	3	<p>B3 Translation by <math>\begin{pmatrix} 6 \\ 0 \end{pmatrix}</math></p> <p>(B2 translation by 6 to the right or just <math>\begin{pmatrix} 6 \\ 0 \end{pmatrix}</math> on its own ) (B1 translation or move to the right 6) If no marks earned from a description then B1 <i>U</i> correctly placed B1 <i>V</i> correctly placed</p>
				<b>Total for Question: 3 marks</b>

1MA0/1F				
Question	Working	Answer	Mark	Additional Guidance
19.	Number of prizes should buy $\frac{3}{8} \times 1000$ $= 375$  <b>OR</b> Each triangle should win $1000 \div 8$ times (=125) So $3 \times 125 = 375$	(376) and justification that matches answer	3	M1 estimate of probability  A1 for answer $> \frac{3}{8}$ of 1000 C1 for justification that matches answer Number of prizes between 376 and 500  <b>OR</b> M1 $1000 \div 8$ A1 for answer $> \frac{3}{8}$ of 1000 C1 for justification that matches answer  Number of prizes between 376 and 500
				<b>Total for Question: 3 marks</b>
20.	(a)	$5(x - 2y)$	1	B1 cao
	(b)	$3p(q - 4p)$	2	B2 $3p(q - 4p)$ (B1 correct partial factorisation, for example, $p(3q - 12p)$ , $12p(\frac{1}{4}q - p)$ , $p(aq + bp)$ where $a$ and $b$ are numbers
				<b>Total for Question: 3 marks</b>

1MA0/1F				
Question	Working	Answer	Mark	Additional Guidance
21  FE	Area of the room $= 4 \times 8 + 4 \times 6 = 56$ Area of a tile $= 0.5 \times 0.5 = 0.25$ Number of tiles $= 56 \div 0.25 = 224$ Cost $= 4 \times 224$  <b>OR</b>  No of tiles around room $= 2 \times \text{lengths of room} = 8, 16,$ $16, 12$ Total number of tiles $= 8 \times 16$ $+ 8 \times 12 = 224$ Cost $= 4 \times 224$	£ 896	6	M1 for full method for finding the area of the room A1 at least one area correct B1 for area of tile $= 0.25\text{m}^2$ or $2500\text{ cm}^2$ or $4\text{ tiles} = 1\text{m}^2$ M1 for area of room $\div$ area of a tile M1 for $4 \times$ number of tiles A1 cao  <b>OR</b>  M1 for doubling each length to show number of tiles for each side B1 for 8, 16, 16 and 12 M1 for a full method of finding the number of tiles $(12 \times 16 + 8 \times 4)$ A1 for at least one 'section' correct M1 for $4 \times '224'$ A1 cao
				<b>Total for Question: 6 marks</b>

9 (c)





18.